CUMULATIVE AUTHOR INDEX
Annals of the Entomological Society of America
Volume 83, 1990

A
Abrahamson, L. P., 494
Adler, P. H., 258
Agee, H. R., 817
Agnew, C. W., 961
Ahmad, I., 162
Akre, R. D., 68, 607, 1108
Ali, A., 725
Andow, D. A., 482
Atkinson, T. H., 453

B
Bae, Y. J., 887
Baker, G. T., 1116
Ballington, J. R., 515
Barnes, J. K., 925
Barnes, M. L., 559
Bartley, M. M., 603
Beckage, N. E., 809
Benz, G., 1158
Bergh, J. C., 998
Blomquist, G. J., 892
Blumberg, D., 591
Boethel, D. J., 902
Bottorff, R. L., 991
Bowker, B. D., 967
Bramel-Cox, P., 1224
Breden, F. J., 586
Bretz, C. K., 149
Brown, J. R., 1125
Brown, W. M., 81
Buco, S. M., 346
Bui, N., 521
Busey, P., 563
Byrne, D. N., 487

C
Cameron, S. A., 626
Carante, J. P., 36
Carde, R. T., 89
Carlson, R. W., 1
Chan, W.-P., 1116
Chapman, G. B., 215
Charlton, R. E., 89
Cheetham, T., 59
Chess, K. F., 717
Chippendale, G. M., 586
Christiansen, E., 712
Cloutier, C., 734
Coats, S. A., 1054
Cohen, A. C, 1177, 1215
Collier, G. E., 467
Collins, A. M., 346, 855
Coop, L. B., 1148
Copeland, R. S., 1063
Craig, D. A., 827
Craig, Jr., G. B., 1063
Crego, C. L., 149
Croft, B. A., 1148
Cronin, J. T., 846
Cruz, Y. P., 549

D
Dahl, C., 827
Daly, H. V., 346
Damsteegt, V. D., 949
Danka, R. G., 346, 855
Darling, D. C., 352
De Armengol, R., 444
Del Pilar Suyo, M., 444
Dial, C. I., 258
Dimick, J. J., 991
Dixon, A., 1224
Dogger, J. R., 1
Donaghy, C., 246
Dowse, H. B., 717

E
Edmunds, Jr., G. F., 887
Eger, Jr., J. E., 115
Eller, F. J., 504
Ellsbury, M. M., 1116
Elzinga, R. J., 1137

F
Fescemyer, H. W., 820
Flanders, R. V., 817
Flinn, P. W., 239
Foltz, J. L., 251
Fontdevila, A., 444
Foote, B. A., 967
Foster, R. F., 838
Furniss, M. M., 712
Futuyma, D. J., 689

G
Gagne, R. J., 335
Galliart, P. L., 617
Gambino, P., 1088
Garnett, W. B., 68, 607
Gary, N. E., 1152
Gibson, R. L., 527, 1005
Goeden, R. D., 220, 776
Greenberg, B., 1210
Greenstone, M. H., 1101
Gutierrez-Martinez, A., 598

H
Hagler, J. R., 1177
Halbert, S. E., 43
Hamilton, D. F., 694
Hammack, L., 97
Hammond, A. M., 820, 1048
Han, H.-Y., 409
Hardy, T. N., 1048
Harman, D. M., 705
Harrington, B. J., 545
Harris, M. O., 998
Hasewinkel, T. H., 911
Hassage, R. L., 207
Hatchett, J. H., 1137
Haverty, M. I., 892
Haymer, D. S., 982
Headrick, D., 220, 776
Hebert, C., 734
Heinz, K. M., 916
Hellmich, II, R. L., 855
Hellmich, R. L., 346
Hendrichs, J., 632
Hendrichs, M. A., 632
Henry, C. S., 317
Henry, T. J., 15
Higo, H. A., 234
Holder, S. J., 207
Hooker, M. E., 215
Houck, M. A., 487, 869
Howard, D. J., 326
Howard, R. W., 239, 607, 975, 1108, 1165
Husband, R. W., 371
Hutchison, W. D., 46

J
Jackson, L. L., 1165
Javahery, M., 201
Johnson, O. A., 1192
Jones, V. P., 742
Juan, C., 689

K
Kim, K. C., 409
Klein, J. A., 809
Knight, A. W., 991
Knisley, C. B., 911
Knowles, P., 838
Knutson, L., 1
Kondratieff, B. C., 142
Kreitner, G. L., 1137
Krysan, J. L., 1192

L
Lanier, D. L., 1130
Lanier, G. N., 171
Lanzaro, G. C., 578
Lawrence, W. S., 1096
Lemaitre, C., 36
Leong, K. L. H., 906
Lewis, W. J., 504
Li, J.-S., 860
Lichter, J. P., 509
Lockusch, E. L., 549
Lofgren, C. S., 642
Loope, L. L., 1088
Lorenzen, K., 1152
Luck, R. F., 475, 591
Luttrell, R. G., 725

M
Mahr, D. L., 795
Mahr, D. L., 790
Malo, E. A., 598
Mandeville, J. D., 1074, 1203
Margolies, D. C., 1224
Markow, T. A., 1165
Marsh, N. B., 1130
Marti, O. G., 956
Martin, J. M., 46
McCann, J. M., 705
McCauley, D. E., 586
McCoy, C. W., 1054
McDonald, I. C., 1192
McInnis, D. O., 982
McLain, D. K., 1130
McPheron, B. A., 568
McPherson, J. E., 162
McCafferty, W. P., 887
McMichael, B. A., 967
Medeiros, A. C., 1088
Mendel, Z., 532
Merritt, R. W., 827
Messina, F. J., 742
Metcalf, R. L., 1017

Meyer, J. R., 515
Mihm, J. A., 586, 1048
Miller, G. L., 753
Mitchell, E. R., 817
Moratorio, M., 46
Morel, L., 642
Mullens, B. A., 1074, 1203
Mullin, C. A., 246
Murphy, W. L., 1

N
Nalepa, C. A., 786
Narang, S. K., 578
Naranjo, S. E., 527
Nation, J. L., 251
Nault, L. R., 694
Naumann, K., 264
Nelson, L. J., 892
Nichols, B. J., 800
Nielsen, D. W., 189
Noguera-Martinez, F. A., 453
Noyes, S., 1224

O
O'Connor, B. M., 869
Ode, P. J., 834
Oehlschlager, A. C., 251
Oelhaf, Jr., R. C., 549
Ondarza, R. N., 598
Opp, S. B., 521
Orr, D. B., 902
Oswald, J. D., 18
Oswood, M. W., 207

P
Page, M., 892
Pajares, J. A., 171
Parrella, M. P., 916
Pashley, D. P., 1048
Peng, C., 1155
Petitpierre, E., 689
Phillips, J. R., 1125
Phillips, T. W., 251
Pierce, Jr., H. D., 251
Pilares, L., 444
Pinto, J. D., 475
Pla, C., 444
Platner, G. R., 475
Polans, N. O., 149
Porter, A. H., 107
Prokopy, R. J., 521
Pruett, J. H., 55

Q
Quintero A., D., 30

R
Raina, A. K., 987
Reese, J. C., 1224
Reeves, E. M., 246
Reinbold, S. L., 467
Ridgway, N. M., 790, 795
Rinderer, T. E., 346, 855
Ringo, J. M., 717
Robinson, G. E., 626
Robison, D., 532
Rodriguez, R. R., 30
Rodriguez-Del-Bosque, L. A., 961
Rogers, C. E., 956, 1084
Rojas, J. C., 598
Rose, H. A., 766
Rose, S., 998
Rosenheim, J. A., 277
Ross, M. H., 559
Ruberson, J. R., 494
Rugg, D., 766

S
Sailer, R. I., 1
Sanchez, A., 444
Saphir, N., 532
Savopoulou-Soultani, M., 555
Schmidt, J. O., 271
Schneider, J. C., 725
Schultz, T. D., 911
Scott, J. G., 1005
Seawright, J. A., 578
Shambaugh, G. F., 694
Shapiro, A. M., 107
Shaw, K. C., 617
Shields, W. M., 326
Silvain, J. F., 956
Simmons, A. M., 956, 1084
Simmons, L. A., 230
Sites, R. W., 800
Slessor, K. N., 234
Smith, B., 617
Smith, D. R., 81
Smith, Jr., J. W., 961
Solheim, H., 712
Sorensen, J. T., 394
Stadelbacher, E. A., 987
Stanley-Samuelson, D. W., 975, 1108
Stewart, K. W., 207
Stoffolano, Jr., J. G., 603
Stouthamer, R., 475
Strand, M. R., 538, 834
Strong, D. R., 846
Stuart, M. K., 1101
Sylvester, H. A., 346
Szczytko, S. W., 991

T
Taber, S. W., 307
Tam, S. Y. T., 982
Tauber, A. J., 494
Tauber, C. A., 494
Tauber, M. J., 494
Taylor, D. B., 1181
Temeyer, K. B., 55
Teo, L.-H., 820
Thanaphum, S., 982
Thoenes, S. C., 271
Thomas, D. B., 657
Toolson, E. C., 1165
Triplehorn, B. W., 694
Triplehorn, C. A., 287
Tschudi-Rein, K., 1158
Tumlinson, J. H., 504
Tzanakakis, M. E., 555

V
Vander Meer, R. K., 642
Villavaso, E. J., 230
Voegtlin, D. J., 43, 949

W
Walgenbach, D. D., 527
Walker, G. P., 939
Walters, F. S., 246
Walton, R., 509
Wang, Q., 860
Washington, J. R., 939
Wasserman, M., 444
Weis, A. E., 149, 509
Welch, J. L., 142
Wells, M. M., 317
Werren, J. H., 352
Wheeler, Jr., A. G., 9, 753
Wheeler, Q. D., 1031
Whitehead, D. R., 9
Wicker, L., 1054
Wiggins, G. B., 155
Wilkinson, R. C., 251
Williams, R. N., 1155
Wilson, N. M., 230
Winston, M. L., 234, 264
Wisseman, R. W., 155
Woodring, J. P., 820
Wright, V. L., 855

Y
Yin, C.-M., 603
Yonke, T. R., 657

Z
Zack, R. S., 68
Zeng, W.-Y., 860
Ziegner, J., 521

CUMULATIVE SUBJECT INDEX
Annals of the Entomological Society of America
Volume 83, 1990

A
acoustic behavior, chorusing, 617
  Phaneropterinae, 617
Acrosternum hilare, host plants, 201
  reproductive biology, 201
adventive species, automatic data processing, 1
  immigrant species, 1
Aedes (Protomacleaya), hybridization, 1181
  intersex, 1181
Africanized honey bees, Apis mellifera, 81, 855
  mitochondrial DNA, 81
  pollination, 855
Alaska, life histories, 207
  Plecoptera, 207
allozymes, Diatraea spp., 1048
  sibling species, 1048
Ambrysus l. lunatus, lotic ecology, 800
  taxonomy, 800
Anagrus delicatus, egg parasitoid, 846
  Prokelisia marginata, 846
Anopheles quadrimaculatus, population genetics, 578
  sibling species, 578
Anticarsia gemmatalis, digestive enzymes, 820
  enzyme activity, 820
ants, fatty acids, 1108
  myrmecophiles, 1108
Aonidiella aurantii, Comperiella bifasciata, 591
  histology, 939
  parasitoids, 591
  stylets, 939
Aphididae, intragroup heterogeneity, 394
  partitioning cladograms, 394
aphids, electronic insect-feeding monitor, 1224
  feeding behavior, 1224
  life cycle, 43
  secondary hosts, 43
Apis mellifera, Africanized honey bees, 81, 855
  discriminant analysis, 346
  mandibular pheromones, 234
  mitochondrial DNA, 81
  morphometrics, 346
  packaging, 264
  pollination, 855
  queen rearing, 234
  sorting, 1152
  temporal caste polyethism, 264
  vacuum capture, 1152
Argyrotaenia citrana, diapause, 1148
  photoperiod, 1148
artificial diet, Nitidulidae, 1155
  sap beetles, 1155
artificial feeding, membrane feeding, 246
  potato aphid, 246
Asynonychus godnami, electrophoresis, 1054
  variation, 1054
attack rate, Megacyllene robiniae, 705
  Robinia pseudoacacia, 705
attractants, blow flies, 97
  Cochliomyia hominivorax, 97
Aulacorthum solani, biotypes, 949
  virus strains, 949
automatic data processing, adventive species, 1
  immigrant species, 1
Banasa spp., South America, 657
  taxonomy, 657

B
bark beetles, exo-brevicomin, 251
  frontalin, 251
behavior, biological control, 239
  Ceratitis capitata, 632
  competition, 717
  Drosophila oviposition, 717
  ecology, 632
  emergence, 998
  mating, 860
  Mayetiola destructor, 998
  nestmate recognition, 642
  Paraglenea fortunei, 860
  Solenopsis spp., 642
  trail-following, 239
Bemisia tabaci, migration, 487
  morphometrics, 487
biodiversity, cladistics, 1031
  systematics, 1031
biogeography, Coleoptera, 453
  Darlingtonia californica, 189
  ecology, 453
  pitcher plant, 189
biological control, behavior, 239
  Diglyphus begini, 916
  Eoreuma loftini, 961
  Liriomyza spp., 916
  Mallochia pyralidis, 961
  Pectinophora gossypiella, 46
  trail-following, 239
  Trichogrammatoidea, 46
biological invasion, Pseudococcus nudus, 1088
  Vespula pensylvanica, 1088
biology, Nematoda, 1084
  Spodoptera frugiperda, 1084
biosystematics, Dendroctonus spp., 171
  morphology, 171
biotypes, Aulacorthum solani, 949
  virus strains, 949
birds' nests, Nasonia vitripennis, 352
  Nasonia, 352
Blattella germanica, cytogenetics, 559
  mutations, 559
Blissus insularis, resistance, 563
  Stenotaphrum secundatum, 563
blood, kleptohematophagy, 545
  Lygaeidae, 545
blow flies, attractants, 97
  Cochliomyia hominivorax, 97
blue-stain fungi, fungus transmission, 712
  Ips typographus, 712
Bombus, division of labor, 626
  juvenile hormone, 626
brood size, Cryptocercus spp., 786
  symbionts, 786
brown lacewings, Neotropical Region, 18
  taxonomy, 18

C
cannibalism, corn earworm, 258
  Heliothis zea, 258
carpenter ants, colony growth, 1005
  oviposition regulation, 1005
Ceratitis capitata, behavior, 632
  cold, 36
  ecology, 632
  genetic-sexing, 982
  geneticin, 982
  starvation, 36
Chauliognathus, genetic variation, 326
  phylogeny, 326
chemotaxonomy, cuticular lipids, 892
  Dendroctonus, 892
Chilostigmini, Psychoglypha, 155
  systematics, 155
Choristoneura fumiferana, host instars, 734
  parasitoids, 734
chorusing, acoustic behavior, 617
  Phaneropterinae, 617
chromosomes, Copidosoma floridanum, 834
  Ophraella spp., 689
  parasitoids, 834
  systematics, 689
Chrysoperla plorabunda, courtship songs, 317
  sibling species, 317
Cicindela patruela, seasonality, 911
  thermoregulation, 911
Cicindela spp., genetic variation, 838
  isozymes, 838
Cirsium, mouth hooks, 220
  sensory organs, 220

Cirsium spp., life history, 776
  Paracantha gentilis, 776
cladistics, biodiversity, 1031
  harvester ants, 307
  Pogonomyrmex, 307
  systematics, 1031
clover head weevils, Curculionidae, 1116
  Hypera meles, 1116
Coccinella septempunctata, spectral sensitivity, 817
  vision, 817
Cochliomyia hominivorax, attractants, 97
  blow flies, 97
codling moths, Cydia pomonella, 59
  methyl bromide, 59
cold, Ceratitis capitata, 36
  starvation, 36
Coleoptera, biogeography, 453
  ecology, 453
colony growth, carpenter ants, 1005
  oviposition regulation, 1005
community structure, habitat segregation, 1063
  treehole mosquitoes, 1063
Comperiella bifasciata, Aonidiella aurantii, 591
  parasitoids, 591
competition, behavior, 717
  Drosophila oviposition, 717
Copidosoma floridanum, chromosomes, 834
  parasitoids, 834
Copidosomopsis tanytmema, polyembryony, 549
  polymorphism, 549
copulation, mating, 598
  Triatoma mazzottii, 598
Corimelaeninae, Cydnidae, 162
  Thyreocorinae, 162
corn earworm, cannibalism, 258
  Heliothis zea, 258
Corticeus, plant associations, 287
  taxonomy, 287
courtship behaviors, gypsy moths, 89
  pheromone communication, 89
courtship songs, Chrysoperla plorabunda, 317
  sibling species, 317
Cryptocercus spp., brood size, 786
  symbionts, 786
Culicidae, larval feeding, 827
  mucus glands, 827
Curculionidae, clover head weevils, 1116
  Hypera meles, 1116
  immigrant arthropods, 9
  Miridae, 9
cuticle, Drosophila mojavensis, 1165
  hydrocarbons, 1165
cuticular lipids, chemotaxonomy, 892
  Dendroctonus, 892
Cydia pomonella, codling moths, 59
  methyl bromide, 59
Cydnidae, Corimelaeninae, 162
  Thyreocorinae, 162
cytogenetics, Blattella germanica, 559
  mutations, 559

D

Dalbulus spp., isoenzymes, 694
  phylogeny, 694
Danaus plexippus, environmental factors, 906
  overwintering sites, 906
Darlingtonia californica, biogeography, 189
  pitcher plant, 189
demography, Hemisarcoptes cooremani, 869
  morphology, 869
Dendroctonus, chemotaxonomy, 892
  cuticular lipids, 892
Dendroctonus spp., biosystematics, 171
  morphology, 171
description, taxonomy, 30
  Typhoctes evansi, 30
desmosome, Pediobius foveolatus, 215
  ultrastructure, 215
development, longevity, 766
  Panesthia cribrata, 766
developmental rate, diet, 725
  Spodoptera frugiperda, 725
developmental thresholds, Diuraphis noxia, 527
  life history, 527
Diabrotica spp., electrophoresis, 1192
  isozymes, 1192
diapause, Argyrotaenia citrana, 1148
  Heliothis virescens, 1125
  Microplitis croceipes, 1125
  photoperiod, 1148
Diatraea grandiosella, geographic variation, 586
  population genetics, 586
Diatraea spp., allozymes, 1048
  sibling species, 1048
diet, developmental rate, 725
  Spodoptera frugiperda, 725
digestive enzymes, Anticarsia gemmatalis, 820
  enzyme activity, 820
Diglyphus begini, biological control, 916
  Liriomyza spp., 916
Diptera, Platystomatidae, 967
  Rivellia melliginis, 967
discriminant analysis, Apis mellifera, 346
  morphometrics, 346
dispersal, postfeeding larvae, 1210
  puparium, 1210
Diuraphis noxia, developmental thresholds, 527
  life history, 527
division of labor, Bombus, 626
  juvenile hormone, 626
dormancy, Lymantria dispar, 494
  phenology, 494
Drosophila mojavensis, cuticle, 1165
  hydrocarbons, 1165
Drosophila virilis, evolutionary rates, 467
  phylogeny, 467
Drosophila, genetic distance, 444
  reproductive isolation, 444
Drosophila oviposition, behavior, 717
  competition, 717
drumming behavior, Isoperla, 991
  reproductive isolation, 991

E

ecology, behavior, 632
  biogeography, 453
  Ceratitis capitata, 632
  Coleoptera, 453
egg parasitoid, Anagrus delicatus, 846
  Prokelisia marginata, 846
egg predators, Ostrinia nubilalis, 482
  predation, 482
electronic insect-feeding monitor, aphids, 1224
  feeding behavior, 1224
electrophoresis, Asynonychus godnami, 1054
  Diabrotica spp., 1192
  gallmidges, 149
  isozymes, 1192
  mating, 521
  population genetics, 568
  Rhagoletis pomonella, 521, 568
electrophoresis, sibling species, 149
  variation, 1054
ELISA, Phidippus audax, 1101
  Podisus maculiventris, 1101
emergence, behavior, 998
  Mayetiola destructor, 998
environmental factors, Danaus plexippus, 906
  overwintering sites, 906
enzyme activity, Anticarsia gemmatalis, 820
  digestive enzymes, 820
Eoreuma loftini, biological control, 961
  Mallochia pyralidis, 961

Eurosta solidaginis, host plant choice, 509
oviposition, 509
evolutionary rates, Drosophila virilis, 467
phylogeny, 467
exo-brevicomin, bark beetles, 251
frontalin, 251

F
fatty acids, ants, 1108
myrmecophiles, 1108
prostaglandins, 975
Tenebrio molitor, 975
feces, Phormia regina, 603
reproduction, 603
fecundity, fertility, 1130
Nezara viridula, 1130
feeding adaptations, Hemiptera, 1215
mouthpart morphology, 1215
feeding behavior, aphids, 1224
electronic insect-feeding monitor, 1224
insect morphology, 1137
insect-plant interactions, 1137
fertility, fecundity, 1130
Nezara viridula, 1130
frontalin, bark beetles, 251
exo-brevicomin, 251
fruit flies, kairomones, 1017
pheromones, 1017
fungus transmission, blue-stain fungi, 712
Ips typographus, 712

G
gallmidges, electrophoresis, 149
sibling species, 149
gas chromatography, mass spectrometry, 607
myrmecophiles, 607
genetic distance, Drosophila, 444
reproductive isolation, 444
genetic variation, Chauliognathus, 326
Cicindela spp., 838
isozymes, 838
phylogeny, 326
genetic-sexing, Ceratitis capitata, 982
geneticin, 982
geneticin, Ceratitis capitata, 982
genetic-sexing, 982
genetics, map units, 230
sex linkage, 230
genitalic morphology, reproductive isolating mechanisms, 107
Tatochila, 107
Geocoris punctipes, predation, 1177
single radial immunodiffusion, 1177
geographic variation, Diatraea grandiosella, 586
population genetics, 586
grasshopper parasites, Podapolipoides, 371
systematics, 371
growth index, Scaphytopius magdalensis, 515
Vaccinium, 515
gypsy moths, courtship behaviors, 89
pheromone communication, 89

H
habitat segregation, community structure, 1063
treehole mosquitoes, 1063
habitat selection, Hymenoptera, 277
parasites, 277
harvester ants, cladistics, 307
Pogonomyrmex, 307
head-capsule width, instar determination, 555
Lobesia botrana, 555
Heliothis virescens, diapause, 1125
Microplitis croceipes, 1125
sex pheromones, 987
Heliothis zea, cannibalism, 258
corn earworm, 258
Hemiptera, feeding adaptations, 1215
mouthpart morphology, 1215
Hemisarcoptes cooremani, demography, 869
morphology, 869
Heteroptera, Miridae, 15
Prepops spp., 15
histology, Aonidiella aurantii, 939
stylets, 939
honey bees, Nasonov pheromone, 271
swarm traps, 271
host discrimination, Microplitis croceipes, 504
superparasitism, 504
host instars, Choristoneura fumiferana, 734
parasitoids, 734
host plant choice, Eurosta solidaginis, 509
oviposition, 509
host plants, Acrosternum hilare, 201
reproductive biology, 201
host preference, learning, 1203
Muscidifurax zaraptor, 1203
host preferences, Muscidifurax spp., 1074
Spalangia spp., 1074
host-parasite relationships, Laelius pedatus, 809
Trogoderma spp., 809
hybridization, Aedes (Protomacleaya), 1181
intersex, 1181
hydrocarbons, cuticle, 1165
Drosophila mojavensis, 1165
Hymenoptera, habitat selection, 277
parasites, 277
Hypera meles, clover head weevils, 1116
Curculionidae, 1116
Hypoderma lineatum, mRNA, 55

I
immature morphology, Microdon, 68
myrmecophiles, 68
immigrant arthropods, Curculionidae, 9
Miridae, 9
immigrant species, adventive species, 1
automatic data processing, 1
insect morphology, feeding behavior, 1137
insect-plant interactions, 1137
insect-plant interactions, feeding behavior, 1137
insect morphology, 1137
instar determination, head-capsule width, 555
Lobesia botrana, 555
intersex, Aedes (Protomacleaya), 1181
hybridization, 1181
intragroup heterogeneity, Aphididae, 394
partitioning cladograms, 394
Ips typographus, blue-stain fungi, 712
fungus transmission, 712
Ischiolepta, systematics, 409
taxonomy, 409
isoenzymes, Dalbulus spp., 694
phylogeny, 694
Isoperla, drumming behavior, 991
reproductive isolation, 991
isozymes, Cicindela spp., 838
Diabrotica spp., 1192
electrophoresis, 1192
genetic variation, 838

J
juvenile hormone, Bombus, 626
division of labor, 626

K
kairomones, fruit flies, 1017
pheromones, 1017
kleptohematophagy, blood, 545
Lygaeidae, 545

L
Laelius pedatus, host-parasite relationships, 809
Trogoderma spp., 809
larval development, larval staging, 538
Pseudoplusia includens, 538

larval feeding, Culicidae, 827
  mucus glands, 827
larval staging, larval development, 538
  Pseudoplusia includens, 538
learning, host preference, 1203
  Muscidifurax zaraptor, 1203
Leptoglossus fulvicornis, magnolia, 753
  phenology, 753
life cycle, aphids, 43
  secondary hosts, 43
life histories, Alaska, 207
  Plecoptera, 207
life history, Cirsium spp., 776
  developmental thresholds, 527
  Diuraphis noxia, 527
  Paracantha gentilis, 776
Liriomyza spp., biological control, 916
  Diglyphus begini, 916
Lobesia botrana, head-capsule width, 555
  instar determination, 555
longevity, development, 766
  Panesthia cribrata, 766
lotic ecology, Ambrysus l. lunatus, 800
  taxonomy, 800
Lygaeidae, blood, 545
  kleptohematophagy, 545
Lymantria dispar, dormancy, 494
  phenology, 494

M
magnolia, Leptoglossus fulvicornis, 753
  phenology, 753
Mallochia pyralidis, biological control, 961
  Eoreuma loftini, 961
mandibular pheromones, Apis mellifera, 234
  queen rearing, 234
map units, genetics, 230
  sex linkage, 230
mass production, mating, 532
  Matsucoccus josephi, 532
mass spectrometry, gas chromatography, 607
  myrmecophiles, 607
mating, behavior, 860
  copulation, 598
  electrophoresis, 521
  mass production, 532
  Matsucoccus josephi, 532
  Paraglenea fortunei, 860
  Rhagoletis pomonella, 521
  Triatoma mazzottii, 598
mating behavior, milkweed beetle, 1096
  Tetraopes tetraophthalmus, 1096
Matsucoccus josephi, mass production, 532
  mating, 532
Mayetiola destructor, behavior, 998
  emergence, 998
Megacyllene robiniae, attack rate, 705
  Robinia pseudoacacia, 705
membrane feeding, artificial feeding, 246
  potato aphid, 246
methyl bromide, codling moths, 59
  Cydia pomonella, 59
Microdon, immature morphology, 68
  myrmecophiles, 68
Microplitis croceipes, diapause, 1125
  Heliothis virescens, 1125
  host discrimination, 504
  croceipes, superparasitism, 504
migration, Bemisia tabaci, 487
  morphometrics, 487
milkweed beetle, mating behavior, 1096
  Tetraopes tetraophthalmus, 1096
Miridae, Curculionidae, 9
  Heteroptera, 15
  immigrant arthropods, 9
  Prepops spp., 15
mitochondrial DNA, Africanized honey bee, 81
  Apis mellifera, 81
morphology, biosystematics, 171
  demography, 869
  Dendroctonus spp., 171
  Hemisarcoptes cooremani, 869
morphometrics, Apis mellifera, 346
  Bemisia tabaci, 487
  discriminant analysis, 346
  migration, 487
mouth hooks, Cirsium, 220
  sensory organs, 220
mouthpart morphology, feeding adaptations, 1215
  Hemiptera, 1215
mRNA, Hypoderma lineatum, 55
mucus glands, Culicidae, 827
  larval feeding, 827
Muscidifurax zaraptor, host preference, 1203
  learning, 1203
Muscidifurax spp., host preferences, 1074
  Spalangia spp., 1074
mutations, Blattella germanica, 559
  cytogenetics, 559
Mydas xanthopterus group, systematics, 142
myrmecophiles, ants, 1108
  fatty acids, 1108
  gas chromatography, 607
  immature morphology, 68
  mass spectrometry, 607
  Microdon, 68

N
Nasonia vitripennis, birds' nests, 352
  Nasonia, 352
Nasonia, birds' nests, 352
  Nasonia vitripennis, 352
Nasonov pheromone, honey bee, 271
  swarm traps, 271
Nematoda, biology, 1084
  parasites, 956
  Spodoptera frugiperda, 956, 1084
Neotropical Region, brown lacewings, 18
  taxonomy, 18
nestmate recognition, behavior, 642
  Solenopsis spp., 642
new genus and species, Stygiforis sabahensis, 887
  taxonomy, 887
Nezara viridula, fecundity, 1130
  fertility, 1130
Nitidulidae, artificial diet, 1155
  sap beetles, 1155

O
Ophraella spp., chromosomes, 689
  systematics, 689
Ostrinia nubilalis, egg predators, 482
  predation, 482
overwintering sites, Danaus plexippus, 906
  environmental factors, 906
oviposition, Eurosta solidaginis, 509
  host plant choice, 509
  phenology, 742
  Rhagoletis pomonella, 742
oviposition regulation, carpenter ants, 1005
  colony growth, 1005

P
packaging, Apis mellifera, 264
  temporal caste polyethism, 264
Panesthia cribrata, development, 766
  longevity, 766
Paracantha gentilis, Cirsium spp., 776
  life history, 776
Paraglenea fortunei, behavior, 860
  mating, 860
parasites, habitat selection, 277
  Hymenoptera, 277
  Nematoda, 956
  Spodoptera frugiperda, 956
parasitoids, Aonidiella aurantii, 591
  Choristoneura fumiferana, 734
  chromosomes, 834
  Comperiella bifasciata, 591

Copidosoma floridanum, 834
host instars, 734
Pholetesor ornigis, 790
Phyllonorycter blancardella, 790, 795
reproduction, 902
Sciomyza varia, 925
snails, 925
Sympiesis marylandensis, 795
Telenomus, 902
partitioning cladograms, Aphididae, 394
intragroup heterogeneity, 394
Pectinophora gossypiella, biological control, 46
Trichogrammatoidea, 46
Pediobius foveolatus, desmosome, 215
ultrastructure, 215
Polytes, 115
Pentatomoidea, Scutelleridae, 115
Phaneropterinae, acoustic behavior, 617
chorusing, 617
phenology, dormancy, 494
Leptoglossus fulvicornis, 753
Lymantria dispar, 494
magnolia, 753
oviposition, 742
Rhagoletis pomonella, 742
pheromone communication, courtship behaviors, 89
gypsy moths, 89
pheromones, fruit flies, 1017
kairomones, 1017
Phidippus audax, ELISA, 1101
Podisus maculiventris, 1101
Pholetesor ornigis, parasitoids, 790
Phyllonorycter blancardella, 790
Phormia regina, feces, 603
reproduction, 603
photoperiod, Argyrotaenia citrana, 1148
diapause, 1148
Phyllonorycter blancardella, parasitoids, 790, 795
Pholetesor ornigis, 790
Sympiesis marylandensis, 795
phylogeny, Chauliognathus, 326
Dalbulus spp., 694
Drosophila virilis, 467
evolutionary rates, 467
genetic variation, 326
isoenzymes, 694
Pieris brassicae, reproductive biology, 1158
sperm activity, 1158
pitcher plant, biogeography, 189
Darlingtonia californica, 189
plant associations, Corticeus, 287
taxonomy, 287
Platystomatidae, Diptera, 967
Rivellia melliginis, 967
Plecoptera, Alaska, 207
life histories, 207
Podapolipoides, grasshopper parasites, 371
systematics, 371
Podisus maculiventris, ELISA, 1101
Phidippus audax, 1101
Pogonomyrmex, cladistics, 307
harvester ants, 307
pollination, Africanized honey bees, 855
Apis mellifera, 855
polyembryony, Copidosomopsis tanytmema, 549
polymorphism, 549
polymorphism, Copidosomopsis tanytmema, 549
polyembryony, 549
Polytes, Pentatomoidea, 115
Scutelleridae, 115
population genetics, Anopheles quadrimaculatus, 578
Diatraea grandiosella, 586
electrophoresis, 568
geographic variation, 586
Rhagoletis pomonella, 568
sibling species, 578
postfeeding larvae, dispersal, 1210
puparium, 1210
potato aphid, artificial feeding, 246
membrane feeding, 246
predation, egg predators, 482
Geocoris punctipes, 1177
Ostrinia nubilalis, 482
single radial immunodiffusion, 1177
Prepops spp., Heteroptera, 15
Miridae, 15
Prokelisia marginata, Anagrus delicatus, 846
egg parasitoid, 846
prostaglandins, fatty acids, 975
Tenebrio molitor, 975
Pseudococcus nudus, biological invasion, 1088
Vespula pensylvanica, 1088
Pseudoplusia includens, larval development, 538
larval staging, 538
Psychoglypha, Chilostigmini, 155
systematics, 155
puparium, dispersal, 1210
postfeeding larvae, 1210

Q

queen rearing, Apis mellifera, 234
mandibular pheromones, 234

R

reproduction, feces, 603
parasitoids, 902
Phormia regina, 603
Telenomus, 902
reproductive biology, Acrosternum hilare, 201
host plants, 201
Pieris brassicae, 1158
sperm activity, 1158
reproductive isolating mechanisms, genitalic morphology, 107
Tatochila, 107
reproductive isolation, Drosophila, 444
drumming behavior, 991
genetic distance, 444
Isoperla, 991
resistance, Blissus insularis, 563
Stenotaphrum secundatum, 563
Rhagoletis pomonella, electrophoresis, 521
electrophoresis, 568
mating, 521
oviposition, 742
phenology, 742
population genetics, 568
Rivellia melliginis, Diptera, 967
Platystomatidae, 967
Robinia pseudoacacia, attack rate, 705
Megacyllene robiniae, 705

S

sap beetles, artificial diet, 1155
Nitidulidae, 1155
Scaphytopius magdalensis, growth index, 515
Vaccinium, 515
Sciomyza varia, parasitoids, 925
snails, 925
Scutelleridae, Pentatomoidea, 115
Polytes, 115
seasonality, Cicindela patruela, 911
thermoregulation, 911
secondary hosts, aphids, 43
life cycle, 43
sensory organs, Cirsium, 220
mouth hooks, 220
sex linkage, genetics, 230
map units, 230
sex pheromones, Heliothis virescens, 987
sibling species, allozymes, 1048
Anopheles quadrimaculatus, 578
Chrysoperla plorabunda, 317
courtship songs, 317
Diatraea spp., 1048
electrophoresis, 149
gallmidges, 149
population genetics, 578
single radial immunodiffusion, Geocoris punctipes, 1177
predation, 1177
snails, parasitoids, 925
Sciomyza varia, 925
Solenopsis spp., behavior, 642
nestmate recognition, 642

sorting, Apis mellifera, 1152
vacuum capture, 1152
South America, Banasa spp., 657
taxonomy, 657
Spalangia spp., host preferences, 1074
Muscidifurax spp., 1074
spectral sensitivity, Coccinella septempunctata, 817
vision, 817
sperm activity, Pieris brassicae, 1158
reproductive biology, 1158
Spodoptera frugiperda, biology, 1084
developmental rate, 725
diet, 725
Nematoda, 956, 1084
parasites, 956
spurge, taxonomy, 335
starvation, Ceratitis capitata, 36
cold, 36
Stenotaphrum secundatum, Blissus insularis, 563
resistance, 563
Stygifloris sabahensis, new genus and species, 887
taxonomy, 887
stylets, Aonidiella aurantii, 939
histology, 939
superparasitism, host discrimination, 504
Microplitis croceipes, 504
swarm traps, honey bee, 271
Nasonov pheromone, 271
symbionts, brood size, 786
Cryptocercus spp., 786
Sympiesis marylandensis, parasitoids, 795
Phyllonorycter blancardella, 795
systematics, biodiversity, 1031
Chilostigmini, 155
chromosomes, 689
cladistics, 1031
grasshopper parasites, 371
Ischiolepta, 409
Mydas xanthopterus group, 142
Ophraella spp., 689
Podapolipoides, 371
Psychoglypha, 155
taxonomy, 409

T

Tatochila, genitalic morphology, 107
reproductive isolating mechanisms, 107
taxonomy, Ambrysus l. lunatus, 800
Banasa spp., 657
brown lacewings, 18
Corticeus, 287
description, 30
Ischiolepta, 409
lotic ecology, 800
Neotropical Region, 18
new genus and species, 887
plant associations, 287
South America, 657
spurge, 335
Stygifloris sabahensis, 887
systematics, 409
thelytoky, 475
Trichogramma, 475
Typhoctes evansi, 30
Telenomus, parasitoids, 902
reproduction, 902
temporal caste polyethism, Apis mellifera, 264
packaging, 264
Tenebrio molitor, fatty acids, 975
prostaglandins, 975
Tetraopes tetraophthalmus, mating behavior, 1096
milkweed beetle, 1096
thelytoky, taxonomy, 475
Trichogramma, 475
thermoregulation, Cicindela patruela, 911
seasonality, 911
Thyreocorinae, Corimelaeninae, 162
Cydnidae, 162
trail-following, behavior, 239
biological control, 239
treehole mosquitoes, community structure, 1063
habitat segregation, 1063
Triatoma mazzottii, copulation, 598
mating, 598
Trichogramma, taxonomy, 475
thelytoky, 475
Trichogrammatoidea, biological control, 46
Pectinophora gossypiella, 46
Trogoderma spp., host-parasite relationships, 809
Laelius pedatus, 809
Typhoctes evansi, description, 30
taxonomy, 30

U

ultrastructure, desmosome, 215
Pediobius foveolatus, 215

V

Vaccinium, growth index, 515
Scaphytopius magdalensis, 515
vacuum capture, Apis mellifera, 1152
sorting, 1152
variation, Asynonychus godnami, 1054
electrophoresis, 1054
Vespula pensylvanica, biological invasion, 1088
Pseudococcus nudus, 1088
virus strains, Aulacorthum solani, 949
biotypes, 949
vision, Coccinella septempunctata, 817
spectral sensitivity, 817